

## **FUNGICROPS BIO**

COMPOUND INORGANIC MICRONUTRIENT FERTILISER IN SOLUTION



The interval between applications depends on the environmental conditions and the needs of the crops. It's important that the solution is evenly distributed. During the summer it is recommended to apply the product in the cooler hours, do not treat during flowering and in conjunction with frost or strong wind.



COMPOSITION (w/w)

Water-soluble manganese (Mn), sulphate	%	1.0
Water-soluble molybdenum (Mo), sodium	%	0.02
Water-soluble zinc (Zn), sulphate	%	1.0

CHEMICAL AND PHYSICAL PROPERTIES

FORMULATION	liquid
COLOUR	brownish

DENSITY (g/cm³) 20° C	1.20
pH (solution at 1% w/w)	3.0 ± 0.5

DOSAGE AND DIRECTIONS OF USE

		Crop	Applications	Dosage by application
	FOLIAR	Fruit, Vine, Citrus, Olive	from vegetative recovery and during	250-300 ml/hl
		Horticultural		250-300 ml/hl
APPLICATION	Cereals and Industrial	the crop cycle	250-300 ml/hl	
		Ornamental		200-300 ml/hl
		Fruit, Vine, Citrus, Olive		5-10 l/ha
SOIL APPLICATION	Horticultural	from post-transplant 2/3 applications every 10/15 days	5-10 l/ha	
	Cereals and Industrial		5-10 l/ha	
	Ornamental		5-10 l/ha	

**HOW TO USE** 

Do not mix with copper products, oils, fosetyl, dimethoate, dicofol, bordeaux pulp, calcium products and alkaline products (pH >8,5). However, any compatibility test is recommended.

**PACKING** 

Bottle	1 l = 1.20 kg
Tank	5 l = 6 kg

Tank	20 l = 24 kg
Tank (IBC)	640 l = 768 kg

Tank (IBC)	1000 l = 1200 kg